

WORMHOLES

HACK THE UNIVERSE

What Can Go Through a Wormhole?

THE GOVERNING HYPOTHESIS

Assume the All Is Epistemic Theory of Everything is correct for the purpose of this manuscript. The established physics below constrains the hypothesis; the TOE-specific claims are conditional consequences, not experimental facts.

We are not building a tunnel through space. We are changing the connectivity of reality.

Nick Rugai

5 October 2026 | Working technical manuscript | Speculative theoretical physics

Status, scope, and the one rule

This manuscript is a focused extension of the consolidated Theory of Everything - All Is Epistemic. It takes the TOE architecture as a working hypothesis and asks a brutally specific question: if wormholes are permitted by that architecture, what exactly is allowed to cross them?

The answer is not "anything." A traversable wormhole is a physical boundary-value problem. The payload must satisfy the geometry, the field equations, the throat boundary conditions, the compactification spectrum, gauge constraints, energy-momentum conservation, quantum consistency, and global causal structure. The wormhole does not suspend physics. It concentrates physics.

REALITY VETO

The universe gets the final vote. A beautiful wormhole that cannot be made mathematically consistent, fails to recover general relativity, violates quantum consistency, or contradicts observation is not a wormhole technology proposal. It is a discarded model.

REBEL RULE

No sacred variables. Not even "information," "wisdom," "the TOE," or the wormhole itself. Every quantity earns its place by derivation and survives only by measurement.

Executive result

Under the TOE assumptions, the set of things that can traverse a wormhole is best defined as the set of physical states admitting a causal, finite-action, dynamically stable continuation through the wormhole throat. That includes ordinary massive matter, massless radiation, quantum fields, gravitational perturbations, and quantum information - but only mode by mode and only when the throat actually supports those solutions.

The strongest version of the TOE adds a deeper interpretation: a wormhole is not fundamentally a pipe containing objects. It is a lawful change in relational adjacency between physical regions. Transport is therefore a state-transfer map induced by geometry and field dynamics.

$$W : H_A \rightarrow H_B, \quad \rho_B = \text{Tr}_E [U_W (\rho_A \otimes \sigma_W) U_W^\dagger] \quad (0.1)$$

Here U_W is the full microscopic evolution through the wormhole, σ_W is the throat/support state, and E collects inaccessible or radiative degrees of freedom. An ideal lossless wormhole realizes an approximately unitary channel on the traversing sector. A realistic wormhole is an open quantum channel whose fidelity depends on geometry, backreaction, noise, compactification, and gravitational degrees of freedom.

THE ANSWER IN ONE LINE

What goes through? Anything for which the complete 28D equations admit a regular causal solution connecting the two mouths while preserving all required constraints.

THE WORMHOLE TRANSPORT CRITERION

For a physical state ψ in mode sector n , define $A_W[\psi] = I_{\text{geo}} I_{\text{mode}} I_{\text{gauge}} I_{\text{energy}} I_{\text{quantum}} I_{\text{causal}}$. A state is transportable only when every factor is admissible and the corresponding transmission coefficient satisfies $T_n > 0$. This is the conditional transport theorem of the manuscript: geometry opens the channel; dynamics decides the mode; conservation laws decide what is legal; quantum consistency decides whether the channel exists at all.

$$T_W = P_{\text{out}} U_W P_{\text{in}}, \quad a_{\text{out}} = S_W a_{\text{in}}, \quad S_W^\dagger S_W \leq I. \quad (0.2)$$

The transport operator is deliberately written as a projection of the full microscopic evolution onto the input and output sectors. It prevents a common conceptual error: confusing the existence of a wormhole with the existence of an unconstrained transport channel. The geometry is the portal; the operator spectrum is the customs officer.

CHAPTER 1

The wormhole problem: geometry first

A throat is a solution before it is a vehicle.

In general relativity a wormhole is not a hole punched through an external Euclidean space. It is a spacetime geometry with nontrivial connectivity. A traversable wormhole must admit causal curves from one mouth to the other without encountering an event horizon or an unavoidable singularity. The geometry therefore comes first and the payload comes second.

The standard static, spherically symmetric Morris-Thorne form, in geometrized units, is

$$ds^2 = - \exp(2 \Phi(r)) dt^2 + dr^2/[1 - b(r)/r] + r^2 d\Omega^2 . \quad (1.1)$$

The redshift function $\Phi(r)$ controls gravitational redshift and must remain finite if the throat is to be traversable in the ordinary sense. The shape function $b(r)$ determines the spatial flare-out.

$$b(r_0) = r_0, \quad b'(r_0) < 1, \quad \Phi(r_0) \text{ finite} . \quad (1.2)$$

The first equality locates the throat. The derivative inequality is the local flare-out condition. The last requirement prevents the throat from hiding behind an infinite redshift surface.

ESTABLISHED PHYSICS

Morris and Thorne showed how a static, spherically symmetric traversable wormhole can be represented and analyzed using a shape function and redshift function. In ordinary Einstein gravity, the flare-out condition drives an energy-condition problem. [1]

The crucial conceptual reversal for the TOE is immediate: the wormhole does not "break" spacetime. It is a particular spacetime configuration. Therefore a traversing particle does not disappear from one location and reappear elsewhere by magic. Its worldline is simply a causal curve through a geometry whose global connectivity is different from ordinary near-flat space.

CHAPTER 2

The classical throat and the flare-out theorem

The geometry itself tells us why wormhole transport is expensive. Let k^μ be the tangent to a null geodesic congruence. Raychaudhuri gives

$$d\theta/d\lambda = -(1/2)\theta^2 - \sigma_{(\mu\nu)}\sigma^{(\mu\nu)} + \omega_{(\mu\nu)}\omega^{(\mu\nu)} - R_{(\mu\nu)}k^\mu k^\nu . \quad (2.1)$$

For a hypersurface-orthogonal null congruence, vorticity ω vanishes. At a minimal throat the cross-sectional area must stop decreasing and begin increasing: the rays must defocus. At the throat $\theta = 0$, so local defocusing requires

$$d\theta/d\lambda > 0 \Rightarrow R_{(\mu\nu)}k^\mu k^\nu < 0 . \quad (2.2)$$

Einstein gravity then turns a geometric condition into an energy condition. Because $k_\mu k^\mu = 0$,

$$R_{(\mu\nu)}k^\mu k^\nu = (8\pi G/c^4) T_{(\mu\nu)}k^\mu k^\nu . \quad (2.3)$$

$$\text{Traversable flare-out in GR} \Rightarrow T_{(\mu\nu)}k^\mu k^\nu < 0 . \quad (2.4)$$

That is a violation of the null energy condition (NEC). The wormhole needs effective defocusing where ordinary positive-energy matter tends to focus null congruences.

The same result appears explicitly in the Morris-Thorne stress tensor. In geometrized units,

$$\rho(r) = b'(r)/(8\pi r^2) , \quad (2.5)$$

$$p_r(r) = [-b(r)/r^3 + 2(1-b/r)\Phi'(r)/r]/(8\pi) . \quad (2.6)$$

$$[\rho + p_r]_{(r_0)} = [b'(r_0)-1]/(8\pi r_0^2) < 0 . \quad (2.7)$$

THE WALL

The throat cannot simply be declared traversable. The flare-out condition asks the stress-energy or modified gravitational sector to defeat null focusing. In ordinary GR this means violating the NEC at the throat. [1,2,3]

Topological censorship sharpens the point: under suitable global assumptions, including asymptotic flatness and the null energy condition, causal curves cannot be used by observers to probe nontrivial topology from infinity. A macroscopic traversable wormhole therefore requires a loophole in at least one of the theorem's hypotheses - most naturally the energy condition or the gravitational dynamics. [3]

CHAPTER 3

The energy-condition wall

The phrase "exotic matter" is useful only if we keep it precise. It does not mean a mysterious substance with a science-fiction label. It means that the effective stress tensor in the throat violates a classical energy condition or that the gravitational field equations differ from the Einstein form enough to move the required defocusing into geometric terms.

Quantum field theory already permits local negative renormalized energy densities in appropriate states. But negative energy is not free engineering material. Ford and Roman derived quantum-inequality constraints showing that negative energy must be limited in magnitude and duration in the systems they studied, and found severe restrictions on macroscopic static traversable wormholes supported by such effects. [4]

The Gao-Jafferis-Wall construction provides an important modern counterexample to the naive slogan "quantum theory forbids traversable wormholes." In a particular anti-de Sitter/holographic setup, an interaction between the two boundaries produces negative average null energy that renders the bridge traversable, while the construction does not provide ordinary superluminal signaling. This is a controlled quantum-gravitational result in a special setting, not evidence for naturally occurring macroscopic portals. [5]

For the TOE, the consequence is deliciously sharp: the support mechanism must come from the actual microscopic field content. We do not get to insert a hand-waving negative-energy term after the geometry has been chosen.

$$8 \pi G_{(28)} T_{\text{eff}_{AB}} K^A K^B = R_{(28)AB} K^A K^B < 0 . \quad (3.1)$$

The 28D version is conditional on the TOE field equations. The object that must be negative is the full effective null contraction, including matter, the candidate epistemic field, compactification stress, quantum corrections, and whatever microscopic gravitational sector actually exists.

CHAPTER 4

The 28D TOE throat and compactification

The throat may live in more than the four dimensions we can see.

The TOE posits a 28-dimensional arena with four extended spacetime dimensions and a compact 24-dimensional internal sector:

$$M_{28} = M_{(3,1)} \times K_{24} . \quad (4.1)$$

Write the full metric schematically as

$$dS^2 = G_{AB} dX^A dX^B = g_{\mu\nu} dx^\mu dx^\nu + h_{ab} dy^a dy^b + 2 A_\mu{}^a dx^\mu dy^a . \quad (4.2)$$

The mixed terms are written schematically because the exact Kaluza-Klein decomposition depends on the compact geometry and gauge structure. The scientific obligation is to choose K_{24} and derive the observed four-dimensional fields from it, rather than merely naming "extra dimensions."

A wormhole in the TOE is therefore potentially a higher-dimensional object whose four-dimensional shadow is a traversable throat. There are several logically distinct possibilities: the throat may be entirely extended in the visible dimensions; it may thread compact dimensions; or it may involve a change in the internal geometry across the throat.

$$\Psi(X) = \sum_n \psi_n(x) Y_n(y), \quad -\Delta_K Y_n = \lambda_n Y_n . \quad (4.3)$$

$$m_n^2 = m_0^2 + \lambda_n/R_c^2 + \Delta_{m,n}^2 . \quad (4.4)$$

Every transported field therefore arrives with a spectral question. A particle is not just "a particle" in 4D. It carries a mode label in the compact sector. A wormhole can transmit, suppress, mix, or confine those modes depending on the throat geometry and matching conditions.

TOE HYPOTHESIS

The 24 compact dimensions are part of the physical state space. A wormhole may therefore act not only as a shortcut in 4D position but as a mode-selective portal through the full relational geometry.

This produces a particularly clean experimental question: if the throat admits KK modes that are inaccessible in ordinary space, the wormhole becomes a spectroscopy device for the compact sector. A transported state could emerge with signatures of a compact excitation, provided that the corresponding mode is stable and couples to visible matter after exit.

CHAPTER 5

The epistemic field: support, not magic

The TOE includes a candidate field $I(X)$, representing relational epistemic structure. A minimal covariant action is

$$S_I = \int d^4x \sqrt{-G} \left[-\frac{1}{2}(\partial I)^2 - V(I) - \frac{\xi}{2} I^2 R + J_I I \right] . \quad (5.1)$$

$$\Box I - V'(I) - \xi R I + J_I = 0 . \quad (5.2)$$

The temptation is to say: "I is the exotic matter, therefore I holds the wormhole open." That would be precisely the sort of premature conclusion the TOE forbids.

For minimally coupled I, the null contraction is

$$T^{(I)}_{AB} K^A K^B = (K^A \partial_A I)^2 \geq 0 . \quad (5.3)$$

CRITICAL TOE CHECK

A canonical minimally coupled scalar does NOT, by itself, violate the NEC. The I-field cannot be declared the throat-support mechanism merely because its name sounds metaphysical. To support flare-out, the TOE needs nonminimal coupling, quantum effects, additional fields, modified gravity, or another sector that changes the effective null contraction.

This is exactly what a useful TOE prediction should look like: the framework constrains its own freedom. If the microscopic action later proves that the I-sector necessarily obeys the NEC in the relevant regime, then the I-field is not the throat support. We bow, update, and measure again.

With nonminimal coupling, curvature terms move into the effective stress tensor. One can schematically rewrite the field equation as

$$G_{AB} = (8\pi G/c^4) T_{\text{eff}AB}[I, \text{matter}, \text{compact}, \text{quantum}] . \quad (5.4)$$

The wormhole criterion is then evaluated on T_{eff} , not on a preferred philosophical interpretation of I. The TOE becomes a machine for generating candidates, not excuses.

CHAPTER 6

Matter transport: geodesics, thresholds, and tidal limits

The first thing through the wormhole is a worldline.

A freely falling point particle follows a timelike geodesic. For the simplest zero-redshift throat, $\Phi = 0$, and in units $c = 1$, the conserved energy per unit rest mass E and angular momentum L give

$$\dot{r}^2 = [1 - b(r)/r] [E^2 - 1 - L^2/r^2] . \quad (6.1)$$

The particle traverses if its constants of motion and the full potential permit it to reach r_0 with finite proper time and continue onto the other asymptotic branch. A barrier in the effective potential can reflect a particle even when the geometry itself is traversable.

For null motion the corresponding relation is

$$\dot{r}^2 = [1 - b(r)/r] [E^2 - L^2/r^2] . \quad (6.2)$$

Thus photons have no rest-mass threshold, but impact parameter, lensing, and throat geometry still determine which null geodesics actually cross. A wormhole can be traversable and yet have a restricted optical aperture.

For a macroscopic payload the more severe constraint is not merely trajectory existence but tidal curvature. In an orthonormal frame the relative acceleration is approximately

$$a_{\text{tid}}^i = -c^2 R^{\hat{i}}_{\hat{0}\hat{j}\hat{0}} x^{\hat{j}} . \quad (6.3)$$

For a body of characteristic size L , acceptable traversal requires the relevant tidal components to remain below the tolerance set by the payload and its internal structure. This is a geometric condition. A ten-meter doorway with Planckian curvature is not a ten-meter doorway for a human being; it is a relativistic meat grinder.

PAYLOAD RULE

A traversable throat must be traversable by the complete stress-energy distribution of the payload, not merely by an idealized test particle. Backreaction and tidal fields scale with the payload itself.

CHAPTER 7

Radiation and quantum fields

Electromagnetic radiation is the cleanest classical traveler. In a curved spacetime the Maxwell equations remain local:

$$\nabla_\mu F^{(\mu\nu)} = 4\pi j^\nu, \quad \nabla_{[\alpha} F_{\beta\gamma]} = 0. \quad (7.1)$$

A photon wave packet is governed in the geometric-optics limit by null geodesics. Beyond that limit, its field amplitude, polarization, phase, and quantum state evolve by the field equation on the curved background.

A general quantum field admits a mode expansion. Along a wormhole one can reduce a field mode to a one-dimensional scattering problem in a tortoise coordinate r_* :

$$[-d^2/dr_*^2 + V_n(r)] u_n = \omega^2 u_n. \quad (7.2)$$

The transmission coefficient T_n is then determined by matching the asymptotic incoming and outgoing fluxes. In the semiclassical barrier regime, a WKB estimate is

$$T_n \approx \exp[-2 \int_{r_1}^{r_2} \sqrt{V_n - \omega^2} dr_*]. \quad (7.3)$$

This is where the TOE compact sector becomes operational. The index n can encode internal geometry. The wormhole can therefore be a frequency filter, polarization filter, KK-mode filter, or all three.

PHYSICS OVER METAPHOR

"Radiation can cross" is not the same as "a photon always crosses." A traversable geometry provides an allowed channel; the wave equation decides the transmission probability.

Quantum fields also carry vacuum fluctuations, entanglement, and stress-energy. Those are not decorations around the wormhole. They are part of the state that responds to the wormhole geometry. A self-consistent solution must solve the field equations and the renormalized stress tensor together when quantum effects are essential.

CHAPTER 8

Gauge charge and conservation laws

No wormhole gets to eat a charge.

A wormhole does not repeal local gauge symmetry. For electromagnetism, charge conservation follows from gauge invariance and the covariant continuity equation

$$\nabla_\mu j^\mu = 0 . \quad (8.1)$$

Integrating the current through a spacetime volume gives the usual relation between changes in enclosed charge and flux through the boundary. In a multiply connected space, however, the topology changes the shape of the allowed electric and magnetic field configurations. Flux can thread the throat and link the two asymptotic regions.

$$Q_{\text{region}}(t_2) - Q_{\text{region}}(t_1) = - \int_{\text{boundary}} J^\mu d\Sigma_\mu . \quad (8.2)$$

The apparent charge of one mouth can therefore change when a charged object enters or exits, while the global conservation law remains intact. The wormhole can redistribute where field lines go; it cannot make gauge charge cease to exist.

For non-Abelian gauge fields the same logic persists with the appropriate covariant derivative. The detailed transport problem becomes richer because the internal state can carry gauge orientation, and the compactification sector can induce Wilson lines or holonomies. A throat may therefore rotate an internal state while preserving the gauge-invariant content.

$$W(C) = \text{Tr} P \exp[i g \int_C A_\mu dx^\mu] . \quad (8.3)$$

A Wilson loop or open Wilson-line structure is therefore a natural diagnostic for whether a wormhole couples nontrivially to compact gauge geometry. The outgoing particle need not be "the same local field configuration" in every microscopic coordinate, but it must satisfy the gauge constraints of the complete theory.

CONSERVATION LAW

Mass-energy, electric charge, gauge constraints, and any exact global quantum numbers protected by the microscopic theory remain constraints. A wormhole is a topology change in connectivity, not a permission slip for conservation-law violations.

CHAPTER 9

The graviton qdit: geometry crossing geometry

The TOE identifies the fundamental graviton with a five-state spin-2 qdit:

$$|\psi_g\rangle = \sum_{m=-2}^2 a_m |2,m\rangle, \quad \sum |a_m|^2 = 1. \quad (9.1)$$

In four-dimensional infrared gravity, a massless graviton has two radiative helicities, while a massive spin-2 representation carries five physical polarization states. The TOE therefore treats the five-state register as fundamental and demands an infrared projection onto the two-helicity sector that reproduces general relativity.

$$L_{FP} = -1/2 (\partial_\lambda h_{mn})(\partial^\lambda h^{mn}) + (\partial_\mu h^{\mu\nu})(\partial_\lambda h^{\lambda\nu}) - (\partial_\mu h^{\mu\nu})(\partial_\nu h) + 1/2 (\partial_\lambda h)(\partial^\lambda h) - 1/2 m_g^2 (h_{mn} h^{mn} - h^2). \quad (9.2)$$

On a wormhole background, a gravitational perturbation solves the linearized field equations around the throat geometry. The gravitational wave can therefore cross if the corresponding mode is regular at the throat and has nonzero transmission into the far side.

Here the TOE becomes almost offensively elegant: the field being transported is itself part of the geometry. A matter particle follows the gravitational connection; a graviton is a propagating excitation of that connection. The wormhole is therefore a channel in which "geometry crosses geometry."

$$\rho_m \text{ tensor product } \rho_g \rightarrow U_{int} (\rho_m \text{ tensor product } \rho_g) U_{int}^\dagger. \quad (9.3)$$

The same interaction Hamiltonian that couples matter to gravitational perturbations also creates backreaction. The wormhole throat therefore cannot be treated as a passive pipe when a sufficiently energetic gravitational wave, particle bunch, or macroscopic object crosses it.

QDIT CONSEQUENCE

A TOE-consistent wormhole may be polarization selective. The low-energy throat could pass helicity ± 2 gravitational radiation while suppressing the massive/internal qdit states. At higher energies, compact-sector modes could open as additional transport channels. This is a concrete, falsifiable version of the "wormhole as quantum gate" idea.

CHAPTER 10

Quantum information as a traversing physical state

Information is not an abstract passenger floating above physics. A quantum state is a physical state. If a wormhole carries a quantum system from A to B, its information content is carried in the joint state of the traversing degrees of freedom and the wormhole environment.

$$\rho_A \otimes \sigma_W \rightarrow \rho_B = \text{Tr}_E [U_W (\rho_A \otimes \sigma_W) U_W^\dagger] . \quad (10.1)$$

The channel is ideal only when the environment E remains decoupled or is controlled. In general the output is noisy. The right language is quantum channel theory: fidelity, entanglement fidelity, coherent information, classical capacity, and quantum capacity, subject to the physical energy and entropy costs of implementing the throat.

No-cloning remains intact. If an unknown quantum state is transported faithfully, the destination receives the state; the source does not retain an independent perfect copy generated by the transport process. A wormhole is not a loophole in linear quantum mechanics.

$$F(\rho, E(\rho)) = [\text{Tr} \sqrt{ \sqrt{\rho} E(\rho) \sqrt{\rho} }]^2 . \quad (10.2)$$

In the ideal limit, F approaches 1 for the supported code subspace. In a realistic throat it falls below unity because of scattering, radiation, gravitational dressing, compactification leakage, and coupling to the throat support.

Entropy gives another constraint. For a system whose gravity is important, the amount of information that can be localized in a region is constrained by gravitational entropy bounds. The black-hole relation

$$S_{\text{BH}} = k_B c^3 A / (4 G \hbar) . \quad (10.3)$$

is the canonical warning that spacetime geometry and information capacity are not independent bookkeeping systems. The TOE takes that clue seriously: a throat cross-section is simultaneously a geometric object, a gravitational object, and potentially a finite-bandwidth quantum channel.

THE BIG FLIP

In the TOE, a wormhole does not merely transport matter through space. It transports distinguishable physical state through a change in relational connectivity. Matter, energy, and information are different observables of one underlying state transition.

CHAPTER 11

Entanglement is not automatically a tunnel

ER=EPR provides a powerful conceptual bridge between wormholes and entanglement. Maldacena and Susskind proposed that certain entangled black-hole states admit an Einstein-Rosen bridge interpretation, while later work explored the relationship between geometric bridges and entanglement structure. [6,7]

But the most important negative statement is this: entanglement alone does not give an ordinary traversable communication channel. A nontraversable Einstein-Rosen bridge is not a subway line. In the special Gao-Jafferis-Wall construction, an additional interaction changes the stress tensor so that the bridge becomes traversable. [5]

$$\text{Entanglement} \neq \text{ordinary signaling channel} . \quad (11.1)$$

For the TOE, this matters enormously. The proposed relationship between epistemic connectivity and physical connectivity must preserve the distinction between correlation and causal transport. A correlation can be nonlocal in the quantum description while remaining unable to transmit controllable classical information outside the causal structure permitted by the theory.

NO CHEATING

If the TOE ever claims that "everything is connected" and therefore messages can be sent instantaneously, that is not a triumph. It is a failure to distinguish correlation from communication. The reality veto kills it immediately.

The more interesting possibility is subtler: the wormhole might be the geometric realization of a very special entanglement structure, while traversability corresponds to a controlled deformation of that structure. In that language, the throat is not created by entanglement in the generic sense; it is a particular state-dependent relational geometry.

CHAPTER 12

Time, causality, and the closed-timelike-curve trap

The TOE treats measurable proper time as the continuum limit of ordered invariant measurement:

$$d\tau = \tau_* dN . \quad (12.1)$$

with recovery condition

$$c^2 d\tau^2 = -g_{\mu\nu} dx^\mu dx^\nu . \quad (12.2)$$

This changes the interpretation of time without changing the observed Lorentzian interval in the recovered regime. For a wormhole, the key question becomes whether the two mouths accumulate proper time at different rates.

If one mouth is accelerated or placed in a different gravitational potential, the elapsed proper times can differ. When the mouths are subsequently compared, a time offset can exist. In ordinary relativistic wormhole analyses, sufficient offset can lead to closed timelike curves. Morris, Thorne, and Yurtsever emphasized the time-machine danger, and later work studied the global consistency problem and the role of quantum backreaction. [2,8,9]

$$\Delta\tau_A \neq \Delta\tau_B \Rightarrow \Delta T_{\text{mouth}} \neq 0 . \quad (12.3)$$

$$\text{A traversable shortcut} + \text{relative mouth time shift} \rightarrow \text{possible CTC} . \quad (12.4)$$

The TOE therefore needs a causal admissibility condition. One candidate is that the microscopic wormhole channel exists only on histories that remain globally consistent under the full dynamical state, rather than on an externally chosen spacetime slicing. This would not be an ad hoc "chronology protection" slogan; it would have to emerge from the microscopic equations.

CAUSALITY KILL TEST

Any proposed wormhole mechanism must specify whether it permits closed timelike curves, forbids them, or replaces the classical notion of a CTC with a different quantum consistency condition. "We will worry about time travel later" is not acceptable because causality is part of the solution.

The epistemic interpretation makes this particularly interesting. If time is a measure-derived order of physical updates, then a CTC would not merely loop a clock hand. It would demand globally consistent ordering of the computational state. The TOE must determine whether the allowed histories form an ordinary partial order, a self-consistent loop, or a deeper structure in which chronology is emergent from a global constraint.

CHAPTER 13

The wormhole as a computational gate

Differentiate. Relate. Measure. Then cross.

The TOE's computational interpretation starts from a physical state $|\psi\rangle$, evolves it by a unitary, and reads interaction as a gate. A wormhole extends that picture from local interaction to topology-changing connectivity.

$$U_{\text{int}}(\Delta\tau) = \exp[-i H_{\text{int}} \Delta\tau / \hbar] . \quad (13.1)$$

$$U_W = T \exp[- (i/\hbar) \int_{\gamma} H_W d\tau] . \quad (13.2)$$

The distinctive TOE idea is that the wormhole gate is not implemented by a separate machine placed inside pre-existing space. The geometry is the gate. The path through the throat is the physical execution trace.

$$K3 = M \circ R \circ D . \quad (13.3)$$

Here D denotes differentiation, R relation, and M measure. A wormhole changes the available relational operation R : two regions that were not adjacent in the ordinary four-dimensional effective geometry become connected by an admissible causal relation.

The throat therefore has three simultaneous descriptions:

- Geometric: a region where the metric has a minimal-area throat and regular causal continuation.
- Dynamical: a solution of the 28D field equations whose stress-energy and curvature satisfy the required matching conditions.
- Computational: a physical channel implementing a state transformation between two previously separated regions.

The three descriptions are not three different objects. They are three levels of the same object, provided the reduction from the microscopic TOE to the observed effective theory can actually be derived.

THE RADICAL STATEMENT

If the TOE is right, a wormhole is a programmable relation in spacetime. Not metaphorically programmable: the physical state of the throat determines which transformations are dynamically allowed.

That sentence creates a formidable research program. It asks whether throat geometry can be treated as a control register, whether mode-selective transport can implement quantum gates, whether topology has a computational capacity, and whether the allowed operations are constrained by the same microscopic gate algebra as particle interactions.

CHAPTER 14

What the wormhole can and cannot carry

The transport table.

Payload	Can it cross?	Necessary condition / TOE implication
Massive classical matter	Yes, conditionally	Timelike causal curve, finite tidal field, sufficient conserved energy, stable throat, acceptable backreaction.
Photons / EM radiation	Yes, conditionally	Null geodesics or wave modes must transmit through the throat; aperture and scattering matter.
Quantum fields	Yes, conditionally	Regular mode solution with nonzero transmission; quantum backreaction must remain consistent.
Electric charge	Yes, but conserved	Charge can move between mouths/regions; gauge flux and Gauss constraints remain exact.
Neutrals / weakly coupled matter	Yes, conditionally	Same geometric and mode constraints; coupling can change detectability after exit.
KK / compact-sector excitations	Potentially	Mode eigenvalue, throat overlap, and compactification selection rules must allow the state.
Gravitational waves	Yes, conditionally	Regular spin-2 perturbation with nonzero transmission; polarization can be filtered.
TOE five-state graviton qdit	Potentially	Infrared helicities ± 2 should be recovered; extra states require appropriate mass/compact-mode access.
Quantum information	Yes, conditionally	A physical quantum channel must exist; fidelity, noise, energy, and entropy bounds apply.
Negative-energy support	Not a free payload	Quantum inequalities and backreaction constrain magnitude, duration, localization, and stability.
A causal signal faster than light locally	No	Traversability is global shortcut geometry, not local superluminal motion.
Arbitrary information from nowhere	No	A wormhole transports state; it does not create an information source ex nihilo.
A conserved charge erased by transit	No	The complete gauge and constraint equations forbid arbitrary disappearance.
A generic entangled state as a controllable message channel	No	Entanglement alone does not establish traversability or signaling.
A traveler through a nontraversable ER bridge	No	The bridge is not a causal shortcut; horizons/global structure block the trip.

The table deliberately uses "conditionally" more often than "yes." That is not cowardice. It is the correct mathematical posture. A geometry can be traversable while a particular mode is evanescent. A channel can exist while a particular payload exceeds the tidal or energy budget. The word "wormhole" names a geometry; it does not guarantee a universal transport service.

CHAPTER 15

Engineering the throat in TOE language

No magic. Only a sequence of equations.

Suppose, for the sake of the thought experiment, that a civilization wants to create a stable macroscopic throat. The TOE converts that fantasy into a stack of constraints.

1. Specify the full 28D metric G_{AB} and compact geometry K_{24} .
2. Choose a topological sector containing two asymptotic mouths and a candidate throat.
3. Solve the full field equations for G_{AB} , I , matter, compactification fields, and quantum expectation values.
4. Check the higher-dimensional null defocusing condition at the throat.
5. Derive the four-dimensional effective metric and verify finite redshift and flare-out.
6. Linearize around the solution and calculate all propagating modes and instabilities.
7. Calculate the mode-dependent transmission coefficients for matter, radiation, gauge fields, and gravitons.
8. Calculate tidal curvature and backreaction for the intended payload class.
9. Calculate mouth synchronization and global causal structure.
10. Check entropy, quantum inequalities, unitarity, anomaly freedom, and vacuum stability.
11. Only after all of that ask what can be sent through.

A compact symbolic system for the throat problem is

$$S_{\text{TOE}} = \int d^{28}X \sqrt{-G} \left[c^3 (R_{28} - 2 \Lambda_{28}) / (16 \pi G_{28}) - 1/2 (\text{grad } I)^2 - V(I) + L_{\text{compact}} + L_{\text{matter}} + L_{\text{quantum}} \right]. \quad (15.1)$$

The wormhole is a saddle or solution of $\delta S_{\text{TOE}} = 0$ subject to boundary, topology, and quantum consistency conditions. Its transport properties are then functionals of that solution:

$$T_{\text{payload}} = F[G_{AB}, I, K_{24}, T_{\text{matter}}, \text{state}_{\text{quantum}}, \text{boundary data}]. \quad (15.2)$$

That is the real TOE version of "hack the universe." We are not bypassing the equations. We are searching the solution space of the equations for a geometry whose legal state transitions are radically different from ordinary space.

ENGINEERING PRINCIPLE

A useful wormhole is not one with the smallest throat. It is one with the largest stable transport capacity per unit of support energy, curvature stress, quantum noise, and causal risk.

This suggests optimization objectives. Define a throughput functional C_W over the supported mode set, a support cost E_s , a curvature penalty K_W , and a causal-risk functional R_C . Then seek

$$\text{maximize } J = C_W / [E_s (1 + \alpha K_W)(1 + \beta R_C)]. \quad (15.3)$$

The exact definitions are open research problems. But the optimization framing is useful because it turns wormhole engineering from science-fiction imagery into a constrained systems problem.

CHAPTER 16

Falsification, observables, and the kill list

A TOE that predicts wormholes but gives no observational or mathematical failure modes is not yet a physical theory. The wormhole sector should be attacked from every direction.

KILL LIST

The following would kill a candidate wormhole realization: a required ghost degree of freedom; unavoidable instability on the traversal timescale; violation of gauge constraints; failure of the GR infrared limit; uncontrollable chronology violation; quantum backreaction that destroys the throat; or an experimentally excluded signature.

Potential observational signatures include unusual lensing and multiple-image patterns, compact-object timing anomalies, gravitational-wave propagation or polarization effects, echoes that survive competing astrophysical explanations, and deviations from ordinary strong-field gravity. A claimed signal must be derived from the same parameter set that supports the wormhole; a post-hoc fit does not count.

The compactification sector also offers a particularly sharp route. If traversability opens a high-dimensional mode channel, the outgoing state may contain additional massive spin-2 or other KK excitations. Such modes could be dark under ordinary 4D interactions yet become visible at a wormhole mouth because the throat overlaps the internal geometry differently from ordinary spacetime.

The TOE time hypothesis creates another test class. If proper time is emergent from invariant ordered measure, extreme transport through a throat may alter the microscopic measurement density while preserving the macroscopic relativistic interval. Any departure from standard quantum clocks must be predicted quantitatively. A vague claim that "time behaves differently" has no scientific content.

$$\Delta O_i = O_i^{(\text{TOE wormhole})} - O_i^{(\text{GR} + \text{QFT})} . \quad (16.1)$$

A genuine prediction requires a nonzero ΔO_i computed before the observation is interpreted. The reality veto is then simple: measure ΔO_i . If the universe returns zero within uncertainty, the proposed effect shrinks or dies.

CHAPTER 17

Final synthesis: the universe has back doors - conditionally


We can now answer the original question with enough structure to make it dangerous.

A wormhole does not ask what object you are. It asks whether your state is a legal solution of the geometry.

Mass can cross. Light can cross. Classical fields can cross. Quantum states can cross. Gauge charge can cross while remaining conserved. Gravitational waves can cross. Under the TOE, compact-sector excitations may cross as well. Information crosses whenever a physical quantum channel crosses.

But the throat is selective. Geometry chooses which geodesics exist. The wave equation chooses which modes transmit. Compactification chooses which internal states are available. Gauge symmetry chooses which state transformations are legal. Energy conditions choose whether the throat can remain open. Quantum inequalities constrain the support. Backreaction changes the geometry as the payload passes. Causality constrains the global history.

The deepest TOE claim is therefore not that wormholes are magic shortcuts. It is that transport, geometry, information, and computation are manifestations of one relational substrate. If all is epistemic, then a wormhole is an extreme physical realization of the K3 kernel: it creates a new lawful distinction - this region versus that region - establishes a relation between them - the throat - and permits invariant measure along the resulting causal channel.



And here is the part worth remembering: the wormhole is not a violation of the universe. It is the universe, under a different solution.

THE UNIVERSE HAS BACK DOORS

But reality decides whether we are allowed to use them.

ONE LAST REALITY VETO

If the TOE is wrong, the wormhole extension built on it is wrong. If the wormhole equations fail, the wormhole fails. If an observation disagrees, we update. The ambition can be fucking enormous; the epistemic discipline cannot be negotiable.

Geometrize you crazy diamond. Then measure it.

The dream is not to escape physics. The dream is to discover what physics permits when we stop assuming that ordinary connectivity is the only connectivity reality can have.

CHAPTER A

Derivation sheet: throat geometry and transport

This appendix collects the minimal equations in one place so the manuscript can be used as a research scratchpad rather than merely an essay.

A.1 Morris-Thorne metric

$$ds^2 = -\exp(2\Phi) dt^2 + dr^2/(1-b/r) + r^2 d\Omega^2 .$$

A.2 Throat

$$b(r_0)=r_0, \quad b'(r_0)<1, \quad \Phi(r_0) \text{ finite} .$$

A.3 Raychaudhuri

$$d\theta/d\lambda = -(1/2)\theta^2 - \sigma^2 + \omega^2 - R_{mn} k^m k^n .$$

A.4 Flare-out

$$R_{mn} k^m k^n < 0 \text{ at a hypersurface-orthogonal minimal null throat} .$$

A.5 Einstein relation

$$T_{mn} k^m k^n < 0 \text{ in ordinary GR at the throat} .$$

A.6 Stress tensor

$$\rho = b'/(8\pi r^2), \quad p_r = [-b/r^3 + 2(1-b/r)\Phi'/r]/(8\pi) .$$

A.7 NEC at throat

$$\rho + p_r = [b'(r_0) - 1] / (8\pi r_0^2) < 0 .$$

A.8 28D geometry

$$dS^2 = G_{AB} dX^A dX^B, \quad A, B = 0, \dots, 27 .$$

A.9 KK expansion

$$\Psi(X) = \sum_n \psi_n(x) Y_n(y) .$$

A.10 Mode equation

$$[-d^2/dr_*^2 + V_n(r)] u_n = \omega^2 u_n .$$

A.11 WKB transmission

$$T_n \approx \exp[-2 \int \sqrt{V_n - \omega^2} dr_*] .$$

A.12 Quantum channel

$$\rho_B = \text{Tr}_E[U_W(\rho_A \otimes \sigma_W)U_W^\dagger] .$$

A.13 Time as measure

$$d\tau = \tau_* dN, \quad c^2 d\tau^2 = -g_{mn} dx^m dx^n .$$

A.14 TOE support

$$G_{AB} = (8\pi G_{28}/c^4) T_{\text{eff}AB} \text{ plus cosmological/field terms} .$$

The equations above are deliberately separated into exact established structures, conditional reductions, and TOE hypotheses. The manuscript never uses a speculative equation to erase an established constraint.

CHAPTER B

Mode selection and the wormhole transport spectrum

A particularly testable TOE construction treats the throat as a spectral device. For every field species s and compact mode n , define a transmission probability $T_{(s,n)}(\omega, \ell, m)$. The total transported flux is then

$$F_{\text{out}} = \sum_{(s,n,\ell,m)} \int d\omega \quad T_{(s,n,\ell,m)}(\omega) F_{\text{in}}(s,n,\ell,m;\omega) . \quad (\text{B.1})$$

A throat that passes only low-energy visible modes has a different observational footprint from one that opens KK channels above a threshold. For a massive internal mode, a schematic threshold is

$$\hbar \omega \geq m_n c^2 . \quad (\text{B.2})$$

The exact condition depends on the geometry and conserved quantities. A wormhole may also mix modes, so the true object is a transmission matrix rather than a scalar probability:

$$a_{\text{out}} = S_W(\omega) a_{\text{in}}, \quad S_W^\dagger S_W \leq I . \quad (\text{B.3})$$

Equality corresponds to a lossless closed scattering sector; strict inequality signals coupling to inaccessible throat or environmental degrees of freedom. This gives the TOE a direct bridge to scattering theory.

CHAPTER C

Chronology as a global constraint

Let the two mouths A and B have worldlines with proper times τ_A and τ_B . A mouth synchronization offset can be represented by a scalar ΔT in an external coordinate chart. The relevant object is not the coordinate time itself but the existence of a closed timelike or null curve in the full metric.

There exists CTC $\Leftrightarrow$ exists closed curve γ with $ds^2 < 0$ everywhere along γ . (C.1)

A candidate TOE must determine whether its microscopic dynamics permit such a curve after including quantum stress, throat motion, and the emergent-time prescription. A chronology condition could take the form of a global admissibility functional

$C[\text{history}] = 1$ for globally consistent histories, 0 otherwise . (C.2)

But the value of such a functional must ultimately arise from the theory. It cannot simply be inserted because we dislike time machines.

CHAPTER D

Research program: from manifesto to calculation

The next stage is not more rhetoric. It is derivation. The wormhole sector of the TOE becomes serious when the following objects can be computed from the same microscopic action:

- The admissible topology and compact geometry K_{24} .
- The complete 28D constraint algebra and Hamiltonian or covariant dynamics.
- The exact I-field sector and its quantum completion.
- The graviton qdit algebra and the mechanism reducing five states to the observed two-helicity infrared graviton.
- A static or dynamical wormhole solution with a regular throat.
- The renormalized stress tensor and the null-energy budget at the throat.
- The linear perturbation spectrum and stability eigenvalues.
- The scattering/transmission matrix S_W for Standard Model fields, gravitons, and compact modes.
- The backreaction of a finite payload.
- The quantum information capacity and noise channel.
- The global causal structure and chronology condition.
- A parameter-linked list of observables and null tests.

ONE ASSUMPTION. EVERYTHING ELSE EARNS ITS PLACE.

That remains the governing scientific standard. The manuscript is intentionally rebellious in scope and conservative in epistemology.

References and technical anchors

[1] M. S. Morris and K. S. Thorne, "Wormholes in spacetime and their use for interstellar travel: A tool for teaching general relativity," American Journal of Physics 56, 395-412 (1988).

[2] M. S. Morris, K. S. Thorne, and U. Yurtsever, "Wormholes, time machines, and the weak energy condition," Physical Review Letters 61, 1446-1449 (1988), DOI: 10.1103/PhysRevLett.61.1446.

- [3] J. L. Friedman, K. Schleich, and D. M. Witt, "Topological censorship," *Physical Review Letters* / arXiv:gr-qc/9305017 (1993).
- [4] L. H. Ford and T. A. Roman, "Quantum field theory constrains traversable wormhole geometries," *Physical Review D* / arXiv:gr-qc/9510071 (1995).
- [5] P. Gao, D. L. Jafferis, and A. C. Wall, "Traversable Wormholes via a Double Trace Deformation," arXiv:1608.05687 (2016/2017).
- [6] J. Maldacena and L. Susskind, "Cool horizons for entangled black holes," *Fortschritte der Physik* / arXiv:1306.0533 (2013).
- [7] J. C. Baez and J. Vicary, "Wormholes and Entanglement," arXiv:1401.3416 (2014).
- [8] J. Friedman, M. S. Morris, I. D. Novikov, F. Echeverria, G. Klinkhammer, K. S. Thorne, and U. Yurtsever, "Cauchy problem in spacetimes with closed timelike curves," *Physical Review D* 42, 1915 (1990).
- [9] S.-W. Kim and K. S. Thorne, "Do vacuum fluctuations prevent the creation of closed timelike curves?" *Physical Review D* 43, 3929 (1991).
- [10] L. H. Ford and T. A. Roman, "Problems with wormholes which involve arbitrarily small amounts of exotic matter," arXiv:gr-qc/0510079 (2005).
- [11] N. Rugai, "Theory of Everything - All Is Epistemic," consolidated working monograph, 30 September 2026. The present manuscript extends its 28D arena, I-field, five-state spin-2 graviton qdit, emergent-time, OIP, and computational hierarchy into the wormhole transport problem.

RESEARCH STATUS

This is a speculative theoretical manuscript. Established relativity and quantum-field results are used as constraints and reference points. The 28D arena, I-field interpretation, five-state graviton qdit as a fundamental computational register, emergent time, OIP, and the proposed wormhole-as-computational-channel interpretation are TOE hypotheses requiring derivation and experimental confrontation.